





ALUMINIUM PROFILES

ALUMINIUM PROFILES

OVERZICHT / SOMMAIRE / ÜBERSICHT / OVERVIEW

PROFILE	Page	 SURFACE MOUNT	 RECESSED MOUNT	COVER			
				FROSTED	SEMI FROSTED	CLEAR	PRISMATIC
LT-PROF2A	4	✓		●	●	●	○
LT-PROF2B	5	✓		●	●	●	○
LT-PROF2C	5	✓		●	●	●	○
LT-PROF2D	6	✓		●	●	●	○
LT-PROF2E	7	✓		●	○	●	●
LT-PROF2F	7	✓		●	●	●	○
LT-PROF2G	8	✓		●	○	●	○
LT-PROF2H	9		✓	●	●	●	○
LT-PROF2I	9		✓	●	○	●	○
LT-PROF2J	10		✓	●	○	●	○
LT-PROF2L	10	✓		●	●	●	○
LT-PROF2M	11		✓	●	○	●	○
LT-PROF2N	11	✓		●	●	●	○
LT-PROF2O	12	✓		●	○	●	○
LT-PROF2P	12		✓	●	○	●	○
LT-PROF2Q	13		✓	●	●	●	○
LT-PROF2R	13		✓	●	○	●	○
LT-PROF2S	14	✓		●	○	●	○
LT-PROF2T	14		✓	●	○	●	○
LT-PROF2V	15	✓		○	●	○	○
LT-PROF2W	15	✓		●	○	●	○
LT-PROF2X	16	✓		●	○	●	○
LT-PROF2Y	16		✓	●	○	●	○
LT-PROF2Z	17	✓		●	●	●	○
LT-LUMOPROF2A	18	✓		●	○	○	○
LT-LUMOPROF3A							
LT-LUMOPROF2B	18	✓		●	○	○	○
LT-LUMOPROF3B							
LT-LUMOPROF2C	19	✓		●	○	○	○
LT-LUMOPROF3C							
LT-LUMOPROF2D	19	✓		●	○	○	○
LT-LUMOPROF2E	20	✓		●	○	○	○
LT-LUMOPROF2F	20	✓		●	○	○	○
LT-LUMOPROF2H	21		✓	●	○	○	○
LT-LUMOPROF2I	21		✓	●	○	○	○
LT-LUMOPROF2Q	22		✓	●	○	○	○
LT-LUMOPROF2Z	22	✓		●	○	○	○
LT-LUMOPROF2020	23	✓		●	○	○	○

LEGENDA

- Leverbaar / Disponible / Lieferbar / Available
- Niet leverbaar / Non disponible / Nicht lieferbar / Not available
- ✓ Versie / Version







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear 30° clear cover / 60° clear cover
 MOUNTING	Glue Mounting clips
 SIZE	2000 x 17,5 x 7,0 mm

Art. No.	Description
LT-PROF2A-F	Aluminium LED strip profile + frosted cover - Length 2 M
LT-PROF2A-C	Aluminium LED strip profile + clear cover - Length 2 M
LT-PROF2A-S	Aluminium LED strip profile + semi-frosted cover - Length 2 M
LT-PROF2A-C30	Aluminium LED strip profile + clear 30° cover
LT-PROF2A-C60	Aluminium LED strip profile + clear 60° cover
LT-PROFAMBA	Aluminium Mounting bracket
LT-PROFAKS	Pvc Coupling piece
LT-PROFAECA	Aluminium Endcap
LT-PROFAECCA	Aluminium Endcap + cable hole
LT-PROFAECA30	Aluminium Endcap 30°
LT-PROFAECCA30	Aluminium Endcap 30° + cable hole
LT-PROFAECA60	Aluminium Endcap 60°
LT-PROFAECCA60	Aluminium Endcap 60° + cable hole

LT-PROF2B

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2000 x 22,6 x 8,5 mm

Art. No.	Description
LT-PROF2B-F	Aluminium LED strip profile + frosted cover - Length 2 M
LT-PROF2B-C	Aluminium LED strip profile + clear cover - Length 2 M
LT-PROF2B-S	Aluminium LED strip profile + semi-frosted cover - Length 2 M
LT-PROFBMBA	Aluminium Mounting bracket
LT-PROFBECA	Aluminium Endcap
LT-PROFBECCA	Aluminium Endcap + cable hole

LT-PROF2C

LEDSTRIP PROFILE



 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2000 x 22,6 x 15,66 mm

Art. No.	Description
LT-PROF2C-F	Aluminium LED strip profile + frosted cover - Length 2 M
LT-PROF2C-C	Aluminium LED strip profile + clear cover - Length 2 M
LT-PROF2C-S	Aluminium LED strip profile + semi-frosted cover - Length 2 M
LT-PROFCMB	Pvc Mounting bracket
LT-PROFCECA	Aluminium Endcap
LT-PROFCECCA	Aluminium Endcap + cable hole







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear 30° clear cover / 60° clear cover
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2000 x 17,5 x 15,0 mm

Art. No.	Description
LT-PROF2D-F	Aluminium LED strip profile + frosted cover
LT-PROF2D-C	Aluminium LED strip profile + clear cover
LT-PROF2D-S	Aluminium LED strip profile + semi-frosted cover
LT-PROF2D-C30	Aluminium LED strip profile + clear 30° cover
LT-PROF2D-C60	Aluminium LED strip profile + clear 60° cover
LT-PROFDMBA	Aluminium Mounting bracket
LT-PROFDKS	Pvc Coupling piece
LT-PROFDECA	Aluminium Endcap
LT-PROFDECCA	Aluminium Endcap + cable hole
LT-PROFDECCA30	Aluminium Endcap 30°
LT-PROFDECCA30	Aluminium Endcap 30° + cable hole
LT-PROFDECCA60	Aluminium Endcap 60°
LT-PROFDECCA60	Aluminium Endcap 60° + cable hole
LT-PROFDHMBA	Steel hanging mounting bracket

LT-PROF2E

LEDSTRIP PROFILE



 MATERIAL	Anodized Aluminium
 COVER	Frosted / Prismatic / Clear
 MOUNTING MONTAGE	Glue Screws
 SIZE	2000 x 35,0 x 35,0 mm

Art. No.	Description
LT-PROF2E-F	Aluminium LED strip profile + frosted cover
LT-PROF2E-P	Aluminium LED strip profile + prismatic cover
LT-PROF2E-C	Aluminium LED strip profile + clear cover
LT-PROFEKSA	Aluminium Coupling piece "straight"
LT-PROFEKS90A	Aluminium Coupling piece 90°
LT-PROFEECA	Aluminium Endcap

LT-PROF2F

LEDSTRIP PROFILE



 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2000 x 26,23 x 17,58 mm

Art. No.	Description
LT-PROF2F-F	Aluminium LED strip profile + frosted cover
LT-PROF2F-C	Aluminium LED strip profile + clear cover
LT-PROF2F-S	Aluminium LED strip profile + semi-frosted cover
LT-PROFFMBS	Spring steel Mounting bracket
LT-PROFFKSA	Aluminium Coupling piece
LT-PROFFECA	Aluminium Endcap
LT-PROFFECCA	Aluminium Endcap + cable hole







	Anodized Aluminium
	Frosted / Clear 30° clear cover
	Glue Mounting clips
	2000 x Ø 24,00 mm

Art. No.	Description
LT-PROF2G-F	Aluminium LED strip profile + frosted cover
LT-PROF2G-C	Aluminium LED strip profile + clear cover
LT-PROF2G-C30	Aluminium LED strip profile + clear 30° cover
LT-PROFGMB	Pvc Adjustable mounting bracket
LT-PROFGCB	Mounting bracket for closet
LT-PROFGISA	Aluminium Intermediate mounting arm.
LT-PROFGAWA	Aluminium Architectural wall arm
LT-PROFGALA	Aluminium Architect. lighting arm.
LT-PROFGAWAT	Architectural wall arm "camouflage tape."
LT-PROFGALAT	Architect. lighting arm "camouflage tape".
LT-PROFGECA	Aluminium Endcap.
LT-PROFGECCA	Aluminium Endcap with cable hole
LT-PROFGECCA30	Aluminium 30° Endcap.
LT-PROFGECCA30	Aluminium 30° Endcap with cable hole
LT-PROFGHMB	Hanging mounting bracket

LT-PROF2H

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear
 MOUNTING MONTAGE	Recessed
 SIZE	2000 x 24,50 x 15,00 mm

Art. No.	Description
LT-PROF2H-F	Aluminium LED strip profile + frosted cover
LT-PROF2H-C	Aluminium LED strip profile + clear cover
LT-PROF2H-S	Aluminium LED strip profile + semi-frosted cover
LT-PROFHECA	Aluminium Endcap
LT-PROFHECCA	Aluminium Endcap + cable hole

LT-PROF2I

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Recessed
 SIZE	2000 x 24,50 x 7,00 mm

Art. No.	Description
LT-PROF2I-F	Aluminium LED strip profile + frosted cover
LT-PROF2I-C	Aluminium LED strip profile + clear cover
LT-PROFIECA	Aluminium Endcap
LT-PROFIECCA	Aluminium Endcap + cable hole

LT-PROF2J

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Recessed Screws
 SIZE	2000 x 40,0 x 92,00 mm

Art. No.	Description
LT-PROF2J-F	Aluminium LED strip profile + frosted cover
LT-PROF2J-C	Aluminium LED strip profile + clear cover
LT-PROFJECA	Aluminium Endcap
LT-PROFJKSA	Aluminium Coupling piece
LT-PROFJMBS	Steel Mounting bracket

LT-PROF2L

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2000 x 30,85 x 8,25 mm

Art. No.	Description
LT-PROF2L-F	Aluminium LED strip profile + frosted cover
LT-PROF2L-C	Aluminium LED strip profile + clear cover
LT-PROF2L-S	Aluminium LED strip profile + semi-frosted cover
LT-PROFLMB	Pvc Montagebeugel / Support de montage / Montagebügel / Mounting bracket
LT-PROFLEC	Pvc Eindcap / Embout / Endkappe / Endcap
LT-PROFLECC	Pvc Eindcap + op. kabel / Embout + trou câble / Endkappe + Kabelloch / Endcap + cable hole
LT-PROFLMBA	Spring steel mounting bracket

LT-PROF2M

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Recessed Mounting clips
 SIZE	2000 x 44,0 x 35,0 mm

Art. No.	Description
LT-PROF2M-F	Aluminium LED strip profile + frosted cover
LT-PROF2M-C	Aluminium LED strip profile + clear cover
LT-PROFMMB	Steel Mounting bracket for ceiling plate
LT-PROFMSKA	Aluminium Coupling piece "straight"
LT-PROFMECA	Aluminium Endcap

LT-PROF2N

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear
 MOUNTING MONTAGE	Glue Mounting ears
 SIZE	2000 x 52,30 x 7,63 mm

Art. No.	Description
LT-PROF2N-F	Aluminium LED strip profile + frosted cover
LT-PROF2N-C	Aluminium LED strip profile + clear cover
LT-PROF2N-S	Aluminium LED strip profile + semi-frosted cover
LT-PROFNEC	Pvc Endcap
LT-PROFNECH	Pvc Endcap with holding ear
LT-PROFNECC	Pvc Endcap + cable hole
LT-PROFNECCH	Pvc Endcap with holding ear + cable hole

LT-PROF20

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Screws
 SIZE	2000 x 66,92 x 27,36 mm

Art. No.	Description
LT-PROF20-F	Aluminium LED strip profile + frosted cover
LT-PROF20-C	Aluminium LED strip profile + clear cover
LT-PROFOEC	Pvc Endcap "right"
LT-PROFOECC	Pvc Endcap "left"

LT-PROF2P


LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Glue Recessed
 SIZE	2000 x 26,20 x 70,00 mm

Art. No.	Description
LT-PROF2P-F	Aluminium LED strip profile + frosted cover
LT-PROF2P-C	Aluminium LED strip profile + clear cover
LT-PROFPEC	Pvc Endcap "left"+ cable hole
LT-PROFPECC	Pvc Endcap "right"+ cable hole

LT-PROF2Q



LEDSTRIP PROFILE





 MATERIAL	Anodized Aluminium
 COVER	Frosted / Semi Frosted / Clear
 MOUNTING MONTAGE	Recessed
 SIZE	2000 x 29,6 x 8,47 mm

Art. No.	Description
LT-PROF2Q-F	Aluminium LED strip profile + frosted cover
LT-PROF2Q-C	Aluminium LED strip profile + clear cover
LT-PROF2Q-S	Aluminium LED strip profile + semi-frosted cover
LT-PROFQECA	Aluminium Endcap
LT-PROFQECCA	Aluminium Endcap + cable hole

LT-PROF2R



LEDSTRIP PROFILE





 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Recessed
 SIZE	2000 x 37,3 x 45,00 mm

Art. No.	Description
LT-PROF2R-F	Aluminium LED strip profile + frosted cover
LT-PROF2R-C	Aluminium LED strip profile + clear cover

LT-PROF2S

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Glue Screws
 SIZE	2000 x 30,00 x 67,10 mm

Art. No.	Description
LT-PROF2S-F	Aluminium LED strip profile + frosted cover
LT-PROF2S-C	Aluminium LED strip profile + clear cover
LT-PROFSECA	Aluminium Endcap

LT-PROF2T

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Recessed
 SIZE	2.000 x 40,00 x 52,10 mm

Art. No.	Description
LT-PROF2T-F	Aluminium LED strip profile + frosted cover
LT-PROF2T-C	Aluminium LED strip profile + clear cover
LT-PROFTECA	Aluminium Endcap

LT-PROF2V

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Semi Frosted
 MOUNTING MONTAGE	Glue Screws
 SIZE	2000 x 24,60 x 20,00 mm

Art. No.	Description
LT-PROF2V-S	Aluminium LED strip profile + semi-frosted cover
LT-PROFVECA	Aluminium Endcap

LT-PROF2W

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Glue Screws
 SIZE	2000 x 80 x 35 mm

Art. No.	Description
LT-PROF2W-F	Aluminium LED strip profile + frosted cover
LT-PROF2W-C	Aluminium LED strip profile + clear cover
LT-PROFWECA	Aluminium Endcap
LT-PROFWKSA	Aluminium Coupling piece "straight"

LT-PROF2X

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Glue Screws
 SIZE	2000 x 23,20 x 28,00

Art. No.	Description
LT-PROF2X-F	Aluminium ledstrip profile 2000 x 23,20 x 28,00 mm with frosted cover
LT-PROF2X-C	Aluminium ledstrip profile 2000 x 23,20 x 28,00 mm mm with clear cover.
LT-PROFXMB	Pvc profile "Mounting bracket".
LT-PROFXECA	Aluminium ledstrip profile "Endcap".
LT-PROFXMBA	Spring steel mounting bracket

LT-PROF2Y

LEDSTRIP PROFILE



 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Recessed Screws
 SIZE	2.000 x 34,20 x 28,00 mm


Art. No.	Description
LT-PROF2Y-F	Aluminium ledstrip profile 2.000 x 34,20 x 28,00 mm with frosted cover.
LT-PROF2Y-C	Aluminium ledstrip profile 2.000 x 34,20 x 28,00 mm with clear cover.
LT-PROFYECA	Aluminium Endcap
LT-PROFYMBS	Steel mounting bracket







	Anodized Aluminium
	Frosted / Semi Frosted / Clear
	Glue Screws
	2.000 x 44,80 x 11,10 mm

Art. No.	Description
LT-PROF2Z-F	Aluminium ledstrip profile 2.000 x 44,80 x 11,10 mm with frosted cover.
LT-PROF2Z-C	Aluminium ledstrip profile 2.000 x 44,80 x 11,10 mm with clear cover.
LT-PROF2Z-S	Aluminium ledstrip profile 2.000 x 44,80 x 11,10 mm with semi-frosted cover.
LT-PROFZECA	Aluminium Ledstrip profile aluminium "Endcap".
LT-PROFZECCA	Aluminium Ledstrip profile aluminium "Endcap + cable hole".

LT-LUMOPROF2A & LT-LUMOPROF3A LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2000 x 17,5 x 7 mm 3000 x 17,5 x 7 mm

Art. No.	Description
LT-LUMOPROF2A-F	Aluminium LED strip profile + frosted cover - Length 2 meters
LT-LUMOPROF3A-F	Aluminium LED strip profile + frosted cover - Length 3 meters
LT-LUMOPROFAMB	Mounting bracket
LT-LUMOPROFAEC	Endcap
LT-LUMOPROFAECC	Endcap + cable hole

LT-LUMOPROF2B & LT-LUMOPROF3B LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2000 x 22,6 x 8,5 mm 3000 x 22,6 x 8,5 m

Art. No.	Description
LT-LUMOPROF2B-F	Aluminium LED strip profile + frosted cover - Length 2 meters
LT-LUMOPROF3B-F	Aluminium LED strip profile + frosted cover - Length 3 meters
LT-LUMOPROFBMB	Mounting bracket
LT-LUMOPROFBEC	Endcap
LT-LUMOPROFBECC	Endcap + cable hole

LT-LUMOPROF2C & LT-LUMOPROF3C LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2000 x 22,6 x 15,5 mm 3000 x 22,6 x 15,5 mm

Art. No.	Description
LT-LUMOPROF2C-F	Aluminium LED strip profile + frosted cover - Length 2 meters
LT-LUMOPROF3C-F	Aluminium LED strip profile + frosted cover - Length 3 meters
LT-LUMOPROFCMB	Mounting bracket
LT-LUMOPROFCEC	Endcap
LT-LUMOPROFCECC	Endcap + cable hole

LT-LUMOPROF2D LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Glue Mounting clips
 SIZE	2.000 x 17,5 x 15 mm

Art. No.	Description
LT-LUMOPROF2D-F	Aluminium ledstrip profile + frosted cover
LT-LUMOPROFDMB	Mounting Bracket/Clip
LT-LUMOPROFDEC	Endcap
LT-LUMOPROFDECC	Endcap + cable hole

LT-LUMOPROF2E

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Glue
 SIZE	2.000 x 35 x 35 mm

Art. No.	Description
LT-LUMOPROF2E-F	Aluminium LED strip profile + frosted cover
LT-LUMOPROFEEC	Endcap
LT-LUMOPROFEECC	Endcap + cable opening

LT-LUMOPROF2F

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Glue Mounting bracket
 SIZE	2.000 x 25,92 x 17,67 mm

Art. No.	Description
LT-LUMOPROF2F-F	Aluminium LED strip profile + frosted cover
LT-LUMOPROFFMB	Mounting bracket
LT-LUMOPROFFEC	Endcap
LT-LUMOPROFFECC	Endcap + cable opening

LT-LUMOPROF2H

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Recessed
 SIZE	2000 x 25,0 x 15,00 mm

Art. No.	Description
LT-LUMOPROF2H-F	Aluminium LED strip profile + frosted cover
LT-LUMOPROFHEC	Endcap
LT-LUMOPROFHECC	Endcap + cable hole

LT-LUMOPROF2I

LEDSTRIP PROFILE








 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Recessed
 SIZE	2000 x 24,8 x 7,0 mm

Art. No.	Description
LT-LUMOPROF2I-F	Aluminium LED strip profile + frosted cover
LT-LUMOPROFIEC	Endcap
LT-LUMOPROFIECC	Endcap + cable hole

LT-LUMOPROF2Q

LEDSTRIP PROFILE







 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Recessed Screws
 SIZE	2000 x 29,9 x 10,00 mm

Art. No.	Description
LT-LUMOPROF2Q-F	Aluminium LED strip profile + frosted cover
LT-LUMOPROFQMB	Mounting clip
LT-LUMOPROFQEC	Endcap
LT-LUMOPROFQECC	Endcap with Cable hole

LT-LUMOPROF2Z





LEDSTRIP PROFILE




 MATERIAL	Anodized Aluminium
 COVER	Frosted
 MOUNTING MONTAGE	Glue
 SIZE	2000 x 44,8 x 11,3 mm

Art. No.	Description
LT-LUMOPROF2Z-F	Aluminium LED strip profile + frosted cover
LT-LUMOPROFZEC	Endcap
LT-LUMOPROFZECC	Endcap + Cable hole






	Anodized Aluminium
	Frosted
	Glue
	2000 x 20,0 x 20,0 mm

Art. No.	Description
LT-LUMOPROF2020-F	Aluminium LED strip profile 2.000 mm + frosted cover
LT-LUMOPROF2020EC	Endcap
LT-LUMOPROF2020ECC	Endcap + cable hole



DESIGN PROFILES

OVERZICHT / SOMMAIRE / ÜBERSICHT / OVERVIEW



PROFILE	Page	 PENDING MOUNT	 SURFACE MOUNT	 RECESSED MOUNT	AV. COLORS			COVER	
					SILVER	BLACK RAL 9004	WHITE RAL 9003	PC COVER	UGR <19 COVER
LT-PROFCO4266	26	✓	✓	✓	●	●	●	●	●
LT-PROFCO5570	27	✓	✓	✓	●	●	●	●	●
LT-PROFCO7380	28	✓	✓	✓	●	●	●	●	●
LT-PROFCO9086	29	✓	✓	✓	●	●	●	●	●

LEGENDA

- Leverbaar / Disponible / Lieferbar / Available
- Niet leverbaar / Non disponible / Nicht lieferbar / Not available
- ✓ Versie / Version


LT-PROFCO4266

DESIGN PROFILE



	Anodized Aluminium
	PC (frosted) Cover (90° beam) UGR<19 Cover (65° beam)
	Silver Black RAL 9004 / White RAL 9003
	Pendant mount / Surface mount Recessed mount
	2500 x 42 x 66 mm



PC- & **UGR <19** cover available



Art. No.	Description
LT-PROFCO4266-S	Aluminium profile + PC (frosted) cover + end cap - Grey
LT-PROFCO4266-B	Aluminium profile + PC (frosted) cover + end cap - Black
LT-PROFCO4266-W	Aluminium profile + PC (frosted) cover + end cap - White
LT-PROFCO4266-U-S	Aluminium profile + UGR <19 cover + end cap - Grey
LT-PROFCO4266-U-B	Aluminium profile + UGR <19 cover + end cap - Black
LT-PROFCO4266-U-W	Aluminium profile + UGR <19 cover + end cap - White
LT-PROFCO-CONW-2	2-wire Power connection cable - Length 1 meter
LT-PROFCO-CONW-3	3-wire Power connection cable - Length 1 meter
LT-PROFCO-CONW-5	5-wire Power connection cable - Length 1 meter
LT-PROFCO4266-SCON	Straight Profile connectors
LT-PROFCO4266-RMB	Mounting bracket for reces. mount
LT-PROFCO4266-L90	Profile Connector 90 Degr.
LT-PROFCO4266-L90N	Profile Connector inside - 90 Degr.
LT-PROFCO4266-L90W	Profile Connector outside - 90 Degr.
LT-PROFCO4266-T90	Profile T-Connector
LT-PROFCO4266-X90	Profile X-Connector
LT-PROFCO-SUSP	Suspension kit
LT-PROFCO-WMB	Wall mounting bracket


LT-PROFCO5570

DESIGN PROFILE



	Anodized Aluminium
	PC (frosted) Cover (90° beam) UGR<19 Cover (65° beam)
	Silver Black RAL 9004 / White RAL 9003
	Pendant mount / Surface mount Recessed mount
	2500 x 55 x 70 mm


PC- & **UGR <19** cover available









Art. No.	Description
LT-PROFCO5570-S	Aluminium profile + PC (frosted) cover + end cap - Grey
LT-PROFCO5570-B	Aluminium profile + PC (frosted) cover + end cap - Black
LT-PROFCO5570-W	Aluminium profile + PC (frosted) cover + end cap - White
LT-PROFCO5570-U-S	Aluminium profile + UGR <19 cover + end cap - Grey
LT-PROFCO5570-U-B	Aluminium profile + UGR <19 cover + end cap - Black
LT-PROFCO5570-U-W	Aluminium profile + UGR <19 cover + end cap - White
LT-PROFCO-CONW-2	2-wire Power connection cable - Length 1 meter
LT-PROFCO-CONW-3	3-wire Power connection cable - Length 1 meter
LT-PROFCO-CONW-5	5-wire Power connection cable - Length 1 meter
LT-PROFCO5570-SCON	Straight Profile connectors
LT-PROFCO5570-RMB	Mounting bracket for reces. mount
LT-PROFCO5570-L90	Profile Connector 90 Degr.
LT-PROFCO5570-L90N	Profile Connector inside - 90 Degr.
LT-PROFCO5570-L90W	Profile Connector outside - 90 Degr.
LT-PROFCO5570-T90	Profile T-Connector
LT-PROFCO5570-X90	Profile X-Connector
LT-PROFCO-SUSP	Suspension kit
LT-PROFCO-WMB	Wall mounting bracket


LT-PROFCO7380


DESIGN PROFILE




 MATERIAL	Anodized Aluminium
 COVER	PC (frosted) Cover (90° beam) UGR<19 Cover (65° beam)
 COLOR	Silver Black RAL 9004 / White RAL 9003
 MOUNTING MONTAGE	Pendant mount / Surface mount Recessed mount
 SIZE	2500 x 73 x 80 mm



PC- &  **UGR <19** cover available




Art. No.	Description
LT-PROFCO7380-S	Aluminium profile + PC (frosted) cover + end cap - Grey
LT-PROFCO7380-B	Aluminium profile + PC (frosted) cover + end cap - Black
LT-PROFCO7380-W	Aluminium profile + PC (frosted) cover + end cap - White
LT-PROFCO7380-U-S	Aluminium profile + UGR <19 cover + end cap - Grey
LT-PROFCO7380-U-B	Aluminium profile + UGR <19 cover + end cap - Black
LT-PROFCO7380-U-W	Aluminium profile + UGR <19 cover + end cap - White
LT-PROFCO-CONW-2	2-wire Power connection cable - Length 1 meter
LT-PROFCO-CONW-3	3-wire Power connection cable - Length 1 meter
LT-PROFCO-CONW-5	5-wire Power connection cable - Length 1 meter
LT-PROFCO7380-SCON	Straight Profile connectors
LT-PROFCO7380-RMB	Mounting bracket for reces. mount
LT-PROFCO7380-L90	Profile Connector 90 Degr.
LT-PROFCO7380-L90N	Profile Connector inside - 90 Degr.
LT-PROFCO7380-L90W	Profile Connector outside - 90 Degr.
LT-PROFCO7380-T90	Profile T-Connector
LT-PROFCO7380-X90	Profile X-Connector
LT-PROFCO-SUSP	Suspension kit
LT-PROFCO-WMB	Wall mounting bracket



	Anodized Aluminium
	PC (frosted) Cover (90° beam) UGR<19 Cover (65° beam)
	Silver Black RAL 9004 / White RAL 9003
	Pendant mount / Surface mount Recessed mount
	2500 x 90 x 86 mm

PC- & **UGR <19 cover available**





Art. No.	Description
LT-PROFCO9086-S	Aluminium profile + PC (frosted) cover + end cap - Grey
LT-PROFCO9086-B	Aluminium profile + PC (frosted) cover + end cap - Black
LT-PROFCO9086-W	Aluminium profile + PC (frosted) cover + end cap - White
LT-PROFCO9086-U-S	Aluminium profile + UGR <19 cover + end cap - Grey
LT-PROFCO9086-U-B	Aluminium profile + UGR <19 cover + end cap - Black
LT-PROFCO9086-U-W	Aluminium profile + UGR <19 cover + end cap - White
LT-PROFCO-CONW-2	2-wire Power connection cable - Length 1 meter
LT-PROFCO-CONW-3	3-wire Power connection cable - Length 1 meter
LT-PROFCO-CONW-5	5-wire Power connection cable - Length 1 meter
LT-PROFCO9086-SCON	Straight Profile connectors
LT-PROFCO9086-RMB	Mounting bracket for reces. mount
LT-PROFCO9086-L90	Profile Connector 90 Degr.
LT-PROFCO9086-L90N	Profile Connector inside - 90 Degr.
LT-PROFCO9086-L90W	Profile Connector outside - 90 Degr.
LT-PROFCO9086-T90	Profile T-Connector
LT-PROFCO9086-X90	Profile X-Connector
LT-PROFCO-SUSP	Suspension kit
LT-PROFCO-WMB	Wall mounting bracket



WALL PROFILES

OVERZICHT / SOMMAIRE / ÜBERSICHT / OVERVIEW

FIXTURE	Page	 WALL 1 SIDE	 WALL 2 SIDES	COVER		
				FROSTED	SEMI FROSTED	CLEAR
LT-FIXT2A	32	✓		●	○	●
LT-FIXT2B	32	✓		●	○	●
LT-FIXT2C	33		✓	●	○	●
LT-FIXT2D	33		✓	●	○	●





LEGENDA

- Leverbaar / Disponible / Lieferbar / Available
- Niet leverbaar / Non disponible / Nicht lieferbar / Not available
- ✓ Versie / Version

LT-FIXT2A

LEDSTRIP FIXTURE




 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Screws
 SIZE	2000 x 36,15 x 27,40 mm (profile + mounting profile)

Art. No.	Description
LT-FIXT2A-F	Aluminium Wall fixture profile 22,25 x 28,00 x 2000,00 mm with frosted cover.
LT-FIXT2A-C	Aluminium Wall fixture profile 22,25 x 28,00 x 2000,00 mm with clear cover.
LT-FIXTAECLA	Aluminium Wall Fixture profile Endcap "left".
LT-FIXTAEBCRA	Aluminium Wall Fixture profile Endcap "right".
LT-FIXTAMBA	Fixture aluminium "Mounting-Base".
LT-FIXTAMBECA	Mounting-Base "Endcap"

LT-FIXT2B

LEDSTRIP FIXTURE








 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Screws
 SIZE	2000 x 76,6 x 35 mm (profile + mounting profile)

Art. No.	Description
LT-FIXT2B-F	Aluminium Wall fixture profile 35,00 x 35,00 x 2.000 mm with frosted cover.
LT-FIXT2B-C	Aluminium Wall fixture profile 35,00 x 35,00 x 2.000 mm with clear cover.
LT-FIXTBECLA	Aluminium Wall Fixture profile Endcap "left".
LT-FIXTBEBCRA	Aluminium Wall Fixture profile Endcap "right".
LT-FIXTBMBA	Fixture aluminium "Mounting-Base".
LT-FIXTBMBECA	Mounting-Base "Endcap"

LT-FIXT2C

LEDSTRIP FIXTURE








 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Screws
 SIZE	2000 x 76,6 x 35 mm (profile + mounting profile)

Art. No.	Description
LT-FIXT2C-F	Aluminium Wall fixture profile 35,00 x 35,00 x 2.000 mm with frosted cover.
LT-FIXT2C-C	Aluminium Wall fixture profile 35,00 x 35,00 x 2.000 mm with clear cover.
LT-FIXTCECA	Aluminium Wall Fixture profile "Endcap".
LT-FIXTBMBA	Aluminium Fixture aluminium "Mounting-Base".
LT-FIXTBMBECA	Aluminium Mounting-Base "Endcap"

LT-FIXT2D

LEDSTRIP FIXTURE



 MATERIAL	Anodized Aluminium
 COVER	Frosted / Clear
 MOUNTING MONTAGE	Screws
 SIZE	2000 x 33,8 x 131 mm (profile + mounting profile)

Art. No.	Description
LT-FIXT2D-F	Aluminium Wall fixture profile 33,00 x 131,00 x 2.000 mm with frosted cover.
LT-FIXT2D-C	Aluminium Wall fixture profile 33,00 x 131,00 x 2.000 mm with clear cover.
LT-FIXTDECLA	Aluminium Wall Fixture profile "Endcap Left".
LT-FIXTDECRA	Aluminium Wall Fixture profile "Endcap Right".
LT-FIXTAMBA	Fixture aluminium "Mounting-Base".
LT-FIXTAMBECA	Mounting-Base "Endcap"



PRINSENWEG 9, BUS 7, 3700 TONGEREN, BELGIUM
TEL: +32 (0)12 231 032 FAX: +32(0)12 234 118
www.lumotronic.eu sales@lumotronic.eu
© 2016-1, Lumotronic.