




OUTDOOR
COLLECTION
2023




FLOOR & WALL






IP54



9002869
Black Aluminium
& Clear Glass
LED 8.5 Watt 590Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 64 cm
D: 7.8 W: 7.8 H: 150 cm



9002870
Black Aluminium
& Clear Glass
LED 17 Watt 1190Lm
3000K 220-240 Volt
Beam Angle 36° IP54
Cable Length: 35 cm
D: 48.9 W: 20.1 H: 201.2 cm





IP54



9002871

Black Aluminium & Acrylic
LED 7.6 Watt 460Lm
3000K 200-240 Volt
Beam Angle 78° IP54
D: 7.5 W: 11.7 H: 35 cm



9002872

Black Aluminium & Acrylic
LED 7.6 Watt 460Lm
3000K 200-240 Volt
Beam Angle 78° IP54
D: 7.5 W: 11.7 H: 65 cm





9002878
Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 H: 25 cm



IP54



9002879
Black Aluminium
& Clear Glass
LED 8.5 Watt 470Lm
3000K 200-240 Volt
Beam Angle 55° IP54
D: 9 H: 65 cm



9026125
Black Aluminium
& Acrylic
LED 12 Watt 601Lm
3000K 100-240V
Beam Angle 122° IP54
L: 15 W: 9.5 H: 70 cm






IP54



9026121

Black Aluminium
& Clear Glass
LED 9 Watt 630Lm
3000K 100-240V
Beam Angle 120° IP54
D: 9 H: 19.5 cm





9026122

Black Aluminium
& Clear Glass
LED 9 Watt 630Lm
3000K 100-240V
Beam Angle 120° IP54
D: 9 H: 65 cm




IP54




9207912

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 11.5 H: 9.5 cm



9279111

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 27 cm





9279112

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt IP54
Bulb Excluded
D: 6.8 W: 13.8 H: 55 cm







RAMO
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 20 H: 14.6 cm



RAMO
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 14.6 H: 60 cm



IP65




RAMO
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP65
Bulb Excluded
D: 8 W: 21 H: 60 cm






IP65




9100916
Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 36 cm



9100917



Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 60 cm




9100918
Black Aluminium
& Acrylic
LED 12 Watt 372Lm
3000K 100-240V
Beam 60° IP65
D: 8 H: 80 cm






IP54



9002840

Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 30 cm



9002841

Black Aluminium & Acrylic
LED 13.5 Watt 890Lm
3000K 220-240 Volt
Beam Angle 296° IP54
L: 17.8 W: 6.9 H: 65 cm





IP54




9104021
Dark Gray Aluminium
Glass Diffuser
LED 2x6 Watt 1150Lm
3000K 220-240 Volt 50Hz
Beam 2x38° IP54
2 Sides Light
L: 28 W: 19 H: 6 cm



Rotating

9195062
Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 11 H: 6 cm



9104022
Dark Gray Aluminium
Glass Diffuser
LED 6 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam 38° IP54
L: 15 W: 6 H: 50 cm

Rotating



9195061
Black Die-Casting Aluminium
Acrylic Diffuser
LED 7 Watt 719Lm
3000K 220-240 Volt
Beam Angle 150° IP54
L: 20 W: 6 H: 80 cm

IP54



IP65



9176101
Anthracite Die-Casting Aluminium
LED 8 Watt 440Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 23 cm

LED IP65 WARM WHITE



9176102
Anthracite Die-Casting Aluminium
LED 8 Watt 512Lm 3000K
200-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 18 H: 80 cm

LED IP65 WARM WHITE






IP54



9756800
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 80 cm




9756500
Black Aluminium
LED 9 Watt 715Lm
3000K 100-240 Volt
Beam Angle 108° IP54
L: 13.5 W: 12 H: 50 cm





819502

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 16 cm




819503

Dark Gray Aluminium
Acrylic Diffuser
LED 7 Watt 708Lm
3000K 220-240 Volt 50Hz
Beam Angle 56° IP54
AC Driver Included
L: 15 W: 6 H: 50 cm




713312

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 18 H: 5 cm



713313

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 490Lm
3000K 110-265 Volt 50Hz
Beam Angle 38° IP54
L: 12 W: 5 H: 80 cm







Rotating



713121
Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 476Lm
3000K 220-240 Volt
Rotation 0-90° IP54
L: 20 W: 10 H: 60 cm



Rotating



713122
Dark Gray Aluminium
Acrylic Diffuser
LED 2x5 Watt 476Lm
3000K 220-240 Volt
Rotation 0-90° IP54
L: 20 W: 10 H: 10 cm




IP54






9002866

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 8 W: 7 H: 16 cm




9002867

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 50 cm



9002868

Black Aluminium & Acrylic
LED 10.3 Watt 660Lm
3000K 220-240 Volt
Beam Angle 92° IP54
L: 16 W: 8 H: 75 cm



IP54





IP65




9492780

Anthracite Die-Casting Aluminium
& Clear Glass
LED 16 Watt 1177Lm
3000K 220-240V
Beam Angle 90° IP65
L: 23.5 W: 10 H: 65 cm



9492770

Anthracite Die-Casting Aluminium
& Clear Glass
LED 8 Watt 560Lm
3000K 220-240V
Beam Angle 94° IP65
L: 13.5 W: 10 H: 65 cm





711024

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 9 W: 14.5 H: 18 cm



713124

Aluminium Dark Gray
Acrylic Diffuser
LED 2x6 Watt 1044Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 12.5 W: 22 H: 80 cm




IP54




713123

Aluminium Dark Gray
Acrylic Diffuser
LED 6 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP54
AC Driver Included
L: 12.5 W: 12 H: 80 cm






IP54





9131201
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 10 Watt 872.69Lm
 3000K 200-240 Volt
 Beam Angle 113° IP65
 L: 18 W: 19 H: 5 cm



9936101
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 15 Watt 1630Lm
 3000K 100-240 Volt
 Beam Angle 180° IP54
 D: 18 W: 18 H: 7 cm



9131202
 Anthracite Die-Casting
 Aluminium & Acrylic Diffuser
 LED 10 Watt 795Lm
 3000K 200-240 Volt
 Beam Angle 113° IP65
 L: 18 W: 19 H: 65 cm



9936102
 Dark Gray Aluminium
 Acrylic Diffuser
 LED 15 Watt 1630Lm
 3000K 100-240 Volt
 Beam Angle 180° IP54
 D: 18 W: 18 H: 80 cm






713411

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 4.5 cm




713311

Dark Gray Aluminium
Acrylic Diffuser
LED 5 Watt 522Lm
3000K 110-265 Volt 50Hz
Beam Angle 120° IP54
L: 9 W: 15 H: 80 cm



IP54





IP54




859439
White Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



9297191
Black Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



859438
Dark Gray Aluminium & Acrylic
LED 10 Watt 485Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 15 W: 5 cm



9207167
Dark Gray Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm



9207168
Black Aluminium & Acrylic
LED 12 Watt 480Lm 3000K
100-240 Volt 50Hz
Beam 140° IP54
D: 18 H: 60 cm

IP54






IP65




9020929
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 501Lm
3000K 100-240V IP65
L: 12 W: 13.7 H: 60 cm



LED IP65 WARM WHITE




9020930
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 515Lm
3000K 100-240V IP65
L: 12 W: 15.5 H: 40 cm



LED IP65 WARM WHITE




9020928
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 503Lm
3000K 100-240V IP65
L: 12 W: 8.3 H: 20.8 cm



LED IP65 WARM WHITE



9020931
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 526Lm
3000K 100-240V IP65
L: 12 W: 15.5 H: 80 cm




LED IP65 WARM WHITE

IP65



IP65




9020925

Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 342Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 15 cm



9020921


Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 335Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 40 cm



9020922

Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 6 Watt 301Lm
3000K 100-240V IP65
L: 12 W: 7.2 H: 80 cm






9020926
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571Lm
3000K 220-240V IP65
L: 12 W: 9.4 H: 15 cm



9020923
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 590Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 40 cm



9020924
Black Aluminium
& Anti-Glare Acrylic Diffuser
LED 9 Watt 571Lm
3000K 100-240V IP65
L: 12 W: 9.4 H: 80 cm



IP65



IP54



822642
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 65 cm



826423
Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 8.5 Watt 327.61Lm 3000K
220-240 Volt 50Hz IP54
D: 11 H: 22 cm




IP65




9492660
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 8.2 Watt 116Lm
3000K 220-240V
Beam Angle 168° IP65
D: 16 H: 14.6 cm





9002850
 White Aluminium
 & Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 12 W: 15 H: 23 cm




9002851

Black Aluminium
 & Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 12 W: 15 H: 23 cm



IP54




9002860
 Black Aluminium
 & Acrylic
 LED E27 1x12 Watt
 220-240 Volt IP54
 Bulb Excluded
 D: 12 W: 12 H: 65 cm





IP65



9026002

Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 1307Lm
3000K 200-240 Volt
Beam Angle 120° IP65
D: 16 W: 10 cm



9026001

Dark Gray ABS
Clear & White Acrylic
LED 12 Watt 1385Lm
3000K 200-240 Volt
Beam Angle 120° IP65
L: 16 W: 10 H: 16 cm



9207615

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 W: 11 cm



IP54



9277151


Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
D: 11 H: 50 cm



9207616


Black Die-Casting
Aluminium & Acrylic Diffuser
LED 6 Watt 420Lm 3000K
100-240 Volt 50Hz
Beam Angle 120° IP54
L: 11 W: 11 H: 11 cm





9209211

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 W: 13 H: 21 cm



9209212

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 10 H: 60 cm



IP54





713412

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 11 H: 17 cm



71371102

Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 25 cm




IP54



71371101


Dark Gray Aluminium
White Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 7.6 W: 7.6 H: 80 cm






9905023

Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 20 cm



9905022

Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 40 cm



9905021

Sandy Black Aluminium
Clear & White Acrylic
LED 8 Watt 937Lm 3000K
220-240 Volt IP65
Beam Angle 120° IP65
D: 9 H: 80 cm



IP65



9905025
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 43 cm



9905024
Sandy Black Aluminium
Silver Aluminium & Clear Acrylic
LED 8 Watt 937Lm
3000K 220-240 Volt
Beam Angle 120° IP65
D: 9 H: 83 cm






9026123
Black Aluminium
& Acrylic
LED 12 Watt 594Lm
3000K 100-240V
Beam Angle 180° IP54
D: 13.4 H: 25 cm



9026124
Black Aluminium
& Acrylic
LED 12 Watt 594Lm
3000K 100-240V
Beam Angle 180° IP54
D: 13.4 H: 70 cm




IP54






9002873

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 W: 14.1 H: 21 cm



9002874

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 50 cm




IP54




9002875

Black Aluminium & Acrylic
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 9 H: 90 cm





IP65



9060181
Dark Gray Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 12 H: 25 cm



9060182
Dark Gray Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 50 cm



9060183
Dark Gray Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 80 cm






IP65



9060184
Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 50 cm



9060185
Dark Grey Aluminum
& Clear Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13 W: 13 H: 80 cm



813101
Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 16 H: 20 cm



813104
Aluminium Dark Gray
White & Clear Acrylic Diffuser
LED 12 Watt 1047Lm
3000K or 4000K Beam 45°
220-240 Volt 50Hz
AC Driver Included IP54
L: 13.5 W: 13.5 H: 50 cm



IP54






IP65




9492720

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 W: 10.1 H: 17.1 cm



9492740

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 9.8 H: 16 cm




9492730

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
D: 9 H: 65 cm




9492750

Anthracite Die-Casting Aluminum
& Clear Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.5 W: 8.5 H: 65 cm





IP54




870026
Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 18 W: 17 H: 28 cm




870045

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
L: 20 W: 20 H: 29 cm



9193101

Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 21.5 H: 27.6 cm




IP65




9193102

Anthracite Die-Casting
Aluminium & Clear Acrylic
LED E27 1x12 Watt
220-240 Volt IP65
Bulb Excluded
L: 14.5 W: 14.5 H: 22 cm







IP65



9492500
 Anthracite Die-Casting
 Aluminium & Clear Acrylic
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP65
 L: 14.5 W: 20.5 H: 43 cm



9060192
 Dark Grey Aluminum
 & Clear Glass
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP54
 L: 11 W: 15 H: 24.5 cm



9060193
 Dark Grey Aluminum
 & Clear Glass
 LED E27 1x12 Watt
 220-240 Volt
 Bulb Excluded IP54
 L: 11 W: 11 H: 50 cm



IP54





9197701

Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 25.8 cm




9492442

Anthracite Die-Casting Aluminium
& Clear Glass
LED E27 2x12 Watt 220-240 Volt
Bulb Excluded IP65
L: 8.6 W: 9 H: 34.8 cm




9197702

Anthracite Die-Casting
Aluminium & Clear Glass
LED E27 2x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 22 W: 8.7 H: 22 cm




9492760

Anthracite Die-Casting Aluminium
Clear & Frost Acrylic
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 13.8 W: 10 H: 23.8 cm




9492710

Anthracite Die-Casting Aluminium
& Clear Glass
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP65
L: 15.2 W: 12.2 H: 29.5 cm




IP65






9060195

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 37 cm



9060197

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 88.5 cm




IP54




9060196

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 H: 97 cm



9060194

Dark Grey Aluminum
& Clear Glass
LED E27 1x12 Watt
110-240 Volt
Bulb Excluded IP54
D: 15 W: 18.5 H: 28 cm





9060208
Black Aluminium
LED 6 Watt 294.84Lm
3000K 220-240V IP65
D: 18 W: 21.5 H: 30 cm

LED IP65 WARM WHITE



9060207
Black Aluminium
LED 6 Watt 279.09 Lm
3000K 220-240V IP65
D: 18 H: 150 cm

LED IP65 WARM WHITE



9060213
Black Aluminium
LED 6 Watt 279.54 Lm
3000K 220-240V IP65
D: 18 W: 27 H: 90 cm

LED IP65 WARM WHITE

IP65






IP54



870426

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 25 W: 27 H: 40 cm



870445

Black Die-Casting Aluminium
Clear Glass
LED E27 1x12 Watt
220-240 Volt IP54
Bulb Excluded
D: 22 H: 95 cm




CEMENT WALL & FLOOR







IP65



9540214
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 17 W: 17 H: 20 cm



9540215
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 20 W: 20 H: 35 cm




9540216
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 20 W: 20 H: 70 cm



IP65




9540217



Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 35 cm




9540218




Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 28 W: 10 H: 65 cm







9762161
Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 16 W: 16 H: 16 cm



9762162
White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 16 W: 16 H: 16 cm



9739351
Gray Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 20 W: 20 H: 35 cm



9739352
White Sandstone & Acrylic
LED E27 1x12 Watt
Bulb Excluded
100-240 Volt IP65
L: 20 W: 20 H: 35 cm



IP65



IP65



9540213

Gray Cement
Glass Diffuser
LED 8 Watt 380Lm
3000K 120-230V IP65
L: 16 W: 15 H: 50 cm



9540212

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
L: 15 W: 14 H: 70 cm



9540211

Gray Cement
Glass Diffuser
LED 2x5 Watt 850Lm
3000K 120-230V IP65
L: 13 W: 14.5 H: 70 cm



IP65



9790021

Gray Concrete & Aluminium
LED 5 Watt 365Lm 3000K
220-240 Volt IP65
L: 12 W: 12 H: 53 cm




9790022

Gray Concrete & Aluminium
LED GU10 2x10 Watt
100-240 Volt
Bulb Excluded IP65
L: 20 W: 12 H: 60 cm



9540207

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 25 cm



9540208

Gray Cement
Glass Diffuser
LED 6 Watt 450Lm
3000K 120-230V IP65
L: 12 W: 12 H: 60 cm





9470582

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm



9470581

Dark Gray Sandstone
Glass Diffuser
LED GU10 1x7 Watt
100-240 Volt
Bulb Excluded IP65
D: 14 H: 16 cm




IP65






FUENTO • 9790541

White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




FUENTO • 9790542

Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
L: 8.6 W: 10 H: 12 cm




9790551

White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm



9790552

Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
L: 8.6 W: 10 H: 18 cm





IP65



9540209

Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
Light Down
L: 9 W: 9.7 H: 11.2 cm







9540210
Gray Cement
Glass Diffuser
LED 5 Watt 200Lm
3000K 120-230V IP65
D: 9 H: 11.2 cm




IP65




9790531
White Sandstone
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



9790532
Gray Concrete
Glass Diffuser
LED GU10 1x7 Watt IP65
100-240 Volt Bulb Excluded
Light Down
D: 8.6 W: 10 H: 12 cm



9790521
White Sandstone
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm



9790522
Gray Concrete
Glass Diffuser
LED GU10 2x7 Watt IP65
100-240 Volt Bulb Excluded
Light Up & Down
D: 8.6 W: 10 H: 18 cm




SOLAR & SENSOR LIGHTS






9492540

Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 104Lm
3000K 3.7 Volt
Beam Angle 86° IP65
Switch On/Off
L: 18.6 W: 7.2 H: 14 cm




9492510

Anthracite Die-Casting
Aluminium & Clear Glass
LED 2 Watt 197Lm
3000K 3.7 Volt
Beam Angle 100° IP65
L: 18 W: 17.5 H: 3.5 cm




IP65




9492520

Anthracite Die-Casting Aluminium
& Clear Glass
LED 2 Watt 219Lm
3000K 3.7 Volt
Beam Angle 106° IP65
Switch On/Off
L: 12.2 W: 14.6 H: 5 cm




9492530


Anthracite Die-Casting Aluminium
& Clear Glass
LED 1 Watt 57Lm
3000K 3.7 Volt
Beam Angle 54° IP65
Switch On/Off
L: 11.3 W: 8.9 H: 11.2 cm



Motion Sensor Activation

Max. distance 5M. Temperature less than 20°C
The lights need to be installed at least 1.5-2.5M.
from the ground.
Charging time: 7-9 hours
Lighting duration : 10-11 hours






Motion Sensor Activation
Max. distance 5M. Temperature less than 20°C.
The lights need to be installed at least
1.5-2.5M from the ground.



9120622

Dimmable


Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 136Lm 3000K
3.7 Volt Beam Angle 125° IP65
Solar / Switch On/Off
L: 14.5 W: 14.5 H: 50 cm



9120621

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 90Lm 3000K
3.7 Volt Beam Angle 125° IP65
Solar / Switch On/Off
L: 14.5 W: 16.2 H: 24 cm



9120711

Dimmable


Anthracite Die-Casting Aluminium
Clear Glass & Acrylic Diffuser
LED 1.5 Watt 82.67Lm 3000K
3.7 Volt Beam Angle 87° IP65
Solar / Switch On/Off
L: 12.6 W: 8.3 H: 25.2 cm



9190101

Dimmable

Anthracite Die-Casting
Aluminium & Acrylic Diffuser
LED 1.5 Watt 199.47Lm 3000K
3.7 Volt Beam Angle 110° IP65
Solar / Switch On/Off
L: 16 W: 11.5 H: 6 cm




IP65





9922510

Dimmable




Anthracite Die-Casting Aluminium
LED 2 Watt 399.09Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 51 cm



9922360

Dimmable



Anthracite Die-Casting Aluminium
LED 2 Watt 265.39Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Solar / USB Wire / Switch On/Off
L: 18 W: 18 H: 36 cm




IP65

PORTABLE



**USB
CHARGER**








IP54



IP65



9104835
Anthracite Die-Casting
Aluminium & Clear Glass
LED 6 Watt 62Lm 3000K
200-240 Volt IP65
Light up & Down
Beam Angle 40°
L: 9 W: 9.3 H: 20.5 cm



9202262
Sandy Black Aluminium
Clear Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm



9202261
Sandy White Aluminium & Glass
LED 7 Watt 397Lm 3000K
200-240 Volt IP54
Light up & Down
L: 7.4 W: 7.4 H: 13.6 cm



9202131
Sandy White Aluminium & Glass
LED 4.5 Watt 304Lm 3000K
200-240 Volt IP54
Light Down
L: 8 W: 4 H: 12 cm







IP65




9492590
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 302Lm
3000K 220-240V
Beam Angle 270° IP65
L: 20 W: 10.3 H: 5.5 cm



9492570
Anthracite Die-Casting Aluminium
& Clear Glass
LED 10 Watt 284Lm
3000K 220-240V
Beam Angle 96° IP65
D: 18 W: 11.6 H: 4 cm




9492560
Anthracite Die-Casting Aluminium
& Frost Acrylic
LED 6 Watt 299Lm
3000K 220-240V
Beam Angle 103° IP65
L: 16 W: 10.2 H: 3.4 cm






9027201

Dark Gray Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down
L: 22 W: 7.6 H: 3.2 cm



9027202

Sandy White Aluminium
Glass Diffuser
LED 12 Watt 536Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
Light Down
L: 22 W: 7.6 H: 3.2 cm




IP65





IP54




9026119

White Aluminium
& Clear Glass
LED 6 Watt 398Lm
3000K 100-240V
Beam Angle 50° IP54
L: 11 W: 9 H: 18 cm



9259361

White Aluminium & Glass
LED 6 Watt 274Lm
3000K 100-240 Volt
Beam Angle 138° IP54
Light Up & Down
L: 13 W: 9 H: 7 cm




9292211

White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 100-240 Volt
Beam Angle 90° IP54
Light Up & Down
L: 17 H: 8.5 H2: 14 cm



9257871

White Aluminium & Glass
LED 9 Watt 475Lm
3000K 100-240 Volt
Beam Angle 155° IP54
Light Up & Down
L: 18 W: 11.5 H: 7.5 cm



9262111

White Aluminium & Glass
LED 2x5 Watt 550Lm
3000K 100-240 Volt
Beam Angle 102° IP54
Light Up & Down
L: 18 W: 3.5 H: 9 cm





IP65



9492630
Anthracite Die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 282Lm
3000K 220-240V
Beam Angle 253° IP65
L: 15.6 W: 3.8 H: 9.7 cm

LED IP65 WARM WHITE




9492600
Anthracite Die-Casting Aluminium
& Clear Acrylic
LED 7.5 Watt 265Lm
3000K 220-240V
Beam Angle 170° IP65
D: 16 W: 4.6 H: 15.5 cm

LED IP65 WARM WHITE



9192171
Anthracite Die-Casting Aluminum
& Clear Acrylic
LED G9 1x5 Watt
220-240 Volt
Bulb Excluded IP65
D: 7.7 W: 7.6 H: 14.4 cm

BULB EXCL. IP65 WARM WHITE




IP54




9136176

Black Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm



9136177

White Aluminium
Glass Diffuser
LED 6 Watt 594Lm
3000K 220-240V IP54
D: 6 W: 12 H: 4 cm




IP65



9060199

Sandy Black Aluminium
& Tempered Glass Diffuser
LED 3 Watt 184.3Lm
3000K 220-240V IP65
D: 7 W: 6.4 H: 10.5 cm





9492620



9492620



IP65




9492620

Anthracite Die-Casting Aluminium
& Clear Glass
LED 8.6 Watt 395Lm
3000K 220-240V
Beam Angle 101° IP65
L: 12 W: 12 H: 11.5 cm




9492580

Anthracite Die-Casting Aluminium
& Clear Glass
LED 8 Watt 188Lm
3000K 220-240V
Beam Angle 222° IP65
L: 11 W: 6 H: 11 cm




9492650

Anthracite Die-Casting Aluminium
& Clear Glass
LED 10.4 Watt 639Lm
3000K 220-240V
Beam Angle 266° IP65
Light Up & Down
L: 9 W: 5.5 H: 10.2 cm



9492640

Anthracite Die-Casting Aluminium
& Clear Glass
LED 7.7 Watt 296Lm
3000K 220-240V
Beam Angle 253° IP65
Light Up & Down
L: 11.8 W: 3.8 H: 9.7 cm



IP65



9492580



9492580



9492650



9492640

IP54



741661

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm




741662

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x34° IP54
Light Up & Down
L: 15 W: 7 H: 11 cm




740401

Dark Gray Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm




740404

Dark Gray Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm




740402

Sandy White Aluminium
Glass Diffuser
LED 2x3 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 12 W: 3 H: 9 cm



740403

Sandy White Aluminium
Glass Diffuser
LED 2x5 Watt 800Lm
3000K 220-240 Volt 50Hz
Beam 2x60° IP54
Light Up & Down
L: 18.5 W: 3 H: 10 cm





IP54



9226217

Sandy White Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



9226216

Sandy Black Aluminium & Glass
Cree LED 2x2 Watt 285Lm
3000K 100-240 Volt 50Hz
Beam Angle 2x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 2 directions



9226215

Sandy White Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



9226214

Sandy Black Aluminium & Glass
Osram LED 4x1 Watt 265Lm
3000K 100-240 Volt 50Hz
Beam Angle 4x38° IP54
L: 5.5 W: 6.5 H: 6.5 cm
Light in 4 directions



726217

Sandy White Aluminium & Glass
LED 2x5 Watt 560Lm
3000K 220-240 Volt 50Hz
Beam Angle 2x51° IP54
D: 11 W: 8.5 cm
Light in 2 directions



852436

Sandy White Aluminium & Glass
LED 4x1 Watt 265Lm
3000K 220-240 Volt 50Hz
Beam Angle 4x51° IP54
D: 11 W: 8.5 cm
Light in 4 directions



IP54



IP54

Adjustable



833426

Dark Gray Die-Casting Aluminium
LED 13 Watt 480Lm
3000K 220-240 Volt 50Hz
Adjustable Beam Max 120° IP54
D: 15 W: 11.7 H: 15 cm




IP65

Rotating



9160101

Anthracite Die-Casting Aluminium
Clear Glass
LED 9.5 Watt 340.76Lm
3000K 200-240 Volt
Beam Angle 101° IP65
L: 14 W: 14.5 H: 3.5 cm






IP65




9925666

Sandy Black Aluminium
ABS Diffuser
LED 2x5 Watt 840Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
Light Up & Down
D: 9.5 W: 10.5 H: 13 cm




9925665

Sandy Black Aluminium
ABS Diffuser
LED 5 Watt 420Lm
3000K 100-240 Volt 50Hz
Beam Angle 104° IP65
Light Down
D: 9.5 W: 10.5 H: 8.5 cm




NUS - 9200201

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 4 Watt 400.33Lm
3000K 100-240 Volt
Beam Angle 120° IP54
Light Down
L: 13.2 W: 9 H: 6.9 cm



NUS - 9200202

Black Die-Casting
Aluminium & Acrylic Diffuser
LED 2x4 Watt 943Lm
3000K 100-240 Volt
Beam Angle 120° IP54
Light Up & Down
L: 13.2 W: 9 H: 7.8 cm




IP54


IP65




8401030
Dark Gray Aluminium
LED 5 Watt 522Lm
3000K 220-240 Volt 50Hz
Beam Angle 120° IP65
AC Driver Included
L: 6.2 W: 12 H: 23.6 cm



LED IP65 WARM WHITE



752470
Dark Gray Aluminium & Glass
Osram LED 6 Watt 420Lm
3000K 220-240 Volt 50Hz
Beam Angle 44° IP54
L: 8.5 W: 14 H: 12 cm



LED IP54 WARM WHITE



810067
Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 12.5 Watt 591.13Lm
3000K 220-240 Volt 50Hz
Rotation IP54
D: 14 W: 4.8 H: 14 cm



LED IP54 WARM WHITE



810066
Dark Gray Die-Casting Aluminium
Acrylic Diffuser
LED 13 Watt 723.32Lm
3000K 220-240 Volt 50Hz
Rotation IP54
L: 14 W: 4.8 H: 14 cm



LED IP54 WARM WHITE

IP54





IP54



↔
Adjustable
Beam Angle



747406

Sandy White Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



↔
Adjustable
Beam Angle



847406

Antique Brown Aluminium
LED 2x3 Watt 510Lm
3000K 220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



↔
Adjustable
Beam Angle



847408

Black Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm



↔
Adjustable
Beam Angle




847407

Dark Gray Aluminium
LED 2x3 Watt 510Lm 3000K
220-240 Volt 50Hz
Adjustable Beam 0-90° IP54
L: 11.2 W: 11.2 H: 11.2 cm





IP54





IP54



9026116

Black Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm



9026117

Black Aluminum
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm



9026118

White Aluminium
& Acrylic
LED 2x2 Watt 400Lm
3000K 500mA 100-240V
Beam Angle 68° IP54
Light Up & Down
L: 5 W: 4 H: 9 cm



IP54



9136182

Black Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded Light Down
D: 10 W: 11 H: 9 cm



**710022**

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm

**710021**

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm

**710042**

Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm

**710041**

Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm

**IP54****910022**

Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 7 W: 8 H: 15 cm

**910021**

Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 7 W: 8 H: 8 cm

**910042**

Aluminium White
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
L: 6.7 W: 8 H: 15 cm

**910041**

Aluminium White
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
L: 6.7 W: 8 H: 8 cm





IP54



773221
Dark Gray Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 6.5 W: 10.4 H: 11 cm



773223
Dark Gray Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 6.5 W: 10.4 H: 18 cm



773222
Antique Brown Aluminium
Glass Diffuser
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Down
D: 6.5 W: 10.4 H: 11 cm



773224
Antique Brown Aluminium
Glass Diffuser
LED GU10 2x7 Watt
220-240 Volt IP54
Bulb Excluded
Light Up & Down
D: 6.5 W: 10.4 H: 18 cm



LIMBIO - 9010601
White ABS
Glass Diffuser
LED GU10 1x7 Watt
Bulb Excluded IP44
Light Down
D: 6 W: 8.5 H: 12 cm



LIMBIO - 9010602
Black ABS
Glass Diffuser
LED GU10 1x7 Watt
Bulb Excluded IP44
Light Down
D: 6 W: 8.5 H: 12 cm



IP44



9010622
Black ABS
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm



9010621
White Acrylic
Glass Diffuser
LED GU10 2x7 Watt
Bulb Excluded IP44
Light Up & Down
D: 8 W: 8.5 H: 16 cm





IP65





9926617

Black Aluminium
Acrylic Diffuser
LED 10 Watt 380Lm
3000K 220-240 Volt 50Hz
Beam Angle 64° IP65
L: 11 W: 8.5 H: 25 cm



9160081

Dark Gray Aluminium
Acrylic Diffuser
LED 12 Watt 936Lm
3000K 220-240 Volt 50Hz
Beam Angle 75° IP65
L: 22.5 W: 6.5 H: 9.5 cm



9060206
Sandy Black Aluminium
& Tempered Glass Diffuser
Silicone Gasket
LED 15 Watt 496.9Lm
3000K 220-240V IP65
L: 19.3 W: 4.7 H: 12.7 cm





9060203

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm




9060204

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 29 W: 14.5 H: 10.2 cm




9060202

Sandy Black Aluminium
Acrylic Diffuser
LED 18 Watt 2132Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 29 cm




9060205

Sandy Black Aluminium
Acrylic Diffuser
LED 10 Watt 1208Lm
3000K 220-240V
Beam Angle 120° IP65
L: 14.5 W: 10.2 H: 17.5 cm




IP65





9270027

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm



9270028

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 18 W: 9 H: 9 cm




IP65




9492610

Anthracite Die-Casting
Aluminium & Frost Acrylic
LED 10 Watt 558Lm
3000K 220-240V
Beam Angle 114° IP65
L: 18 W: 7.5 H: 9 cm



9492550

Anthracite Die-Casting Aluminium
Frost Acrylic & Clear Glass
LED 10 Watt 763Lm
3000K 220-240V
Beam Angle 112° IP65
L: 20 W: 7.4 H: 20 cm




IP65



9270015

Sandy Black Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm



9270016

Sandy White Aluminium
Acrylic Diffuser
LED 12 Watt 1080Lm
3000K 220-240 Volt 50Hz
Beam Angle 108° IP65
L: 9 W: 7 H: 18 cm





IP65



9529712

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



9529713

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 112° IP65
D: 15 W: 5.5 cm



9529720

Sandy White Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm



9529721

Sandy Black Aluminium & Acrylic
LED 9 Watt 620Lm
3000K 100-240 Volt 50Hz
Beam Angle 115° IP65
L: 15 W: 5.5 H: 15 cm



9522101

Sandy White Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm



9522102

Sandy Black Aluminium & Acrylic
LED 6 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam Angle 64° IP65
L: 13 W: 2.5-4.5 H: 16 cm




IP65






9020933

Dark Gray Stainless Aluminium
Anti-Glare Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.3 W: 9 H: 10 cm




9020932

Dark Gray Stainless Aluminium
Anti-Glare Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.3 W: 9 H: 10 cm




713212

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 23 W: 9.5 H: 26.4 cm



713514

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 23 W: 9.5 H: 26.4 cm




IP44



713115

White Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm





713114

Antique Brown Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm




713113

Dark Gray Aluminium
White Acrylic Diffuser
LED E27 1x12 Watt
220-240 Volt
Bulb Excluded IP44
L: 30.5 W: 9 H: 10.5 cm



IP44






IP65




Rotating
& Adjustable




9271431
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm
LED IP65 WARM WHITE

Rotating
& Adjustable




9271491
Black Aluminium & Glass
LED 10 Watt 883.4Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm
LED IP65 WARM WHITE

Rotating
& Adjustable



9271433
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 9 H: 64 cm
LED IP65 WARM WHITE

Rotating
& Adjustable



9971451
Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt
Beam Angle 21° IP65
D: 5 W: 7 H: 12 cm
LED IP65 WARM WHITE

Rotating
& Adjustable



9971452
Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt
Beam Angle 24° IP65
D: 6.5 W: 9 H: 15 cm
LED IP65 WARM WHITE




IP65




9271432

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 5 W: 9 H: 33 cm




9271492

Black Aluminium & Glass
LED 10 Watt 742Lm
3000K 100-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 11 H: 35 cm



9971455

Black Aluminium & Glass
LED 5 Watt 378Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 5 W: 7 H: 45 cm



IP54




9026126

Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 H: 12.5 cm



9026127

Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 7 W: 12.5 H: 21 cm




IP65



Rotating
& Adjustable

9026128
Black Aluminium
& Clear Glass
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP65
D: 7 W: 9.5 H: 21 cm





Rotating
& Adjustable

9172870
Black Aluminium
& Clear Glass
LED 3W Watt 273Lm
3000K 220-240 Volt
Beam Angle 24° IP65
D: 40 W: 7.3 H: 22.5 cm




IP54





Rotating
& Adjustable


9136184
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 11.5 cm






Rotating
& Adjustable

9136183
Black Aluminium & Clear Glass
Honeycomb Antiglare Diffuser
LED GU10 1x10 Watt
220-240 Volt
Bulb Excluded IP54
D: 5.5 W: 9.5 H: 30 cm







9010001

Sandy Black Aluminium & Glass
LED 3 Watt 295.06Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.5 W: 9 H: 21-26 cm



9010003

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 21-24 cm



9010002

Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm 3000K
220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 13 H: 24-31 cm



9010005

Sandy Black Aluminium & Glass
LED 7 Watt 578.7Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 6.5 W: 10 H: 24-28 cm



IP65



9010006

Sandy Black Aluminium
D: 5.5 W: 5.5 H: 4 cm
Combine with 9010002 &
9010005



9010004

Sandy Black Aluminium & Glass
LED 3 Watt 303.24Lm
3000K 220-240 Volt 50Hz
Beam Angle 24° IP65
D: 4.2 W: 7 H: 5.5-8 cm





IP54



9240677
Black Aluminium & Glass
LED 10 Watt 700Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 9 W: 9.5 cm



9240678
Black Aluminium & Glass
LED 20 Watt 1500Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 12 W: 18 cm



9240679
Black Aluminium & Glass
LED 30 Watt 2800Lm
3000K 100-240 Volt 50Hz
Beam Angle 38° IP65
D: 15 W: 20.5 cm



742071
Aluminium Dark Gray & Glass
LED 18 Watt 1440Lm 3000K
100-240 Volt 50Hz
Beam Angle 48° IP65
W: 19.5 L: 13 H: 20-29 cm

IP65



767801
Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
D: 11 H: 20 cm



875409
Dark Gray Aluminium & Glass
LED GU10 1x7 Watt
220-240 Volt IP54
Bulb Excluded
D: 7.5 W: 15 H: 36 cm



IP54



9136178

Black Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 8 H: 11 cm



9136179

White Aluminium
Glass Diffuser
LED 9 Watt 579Lm
3000K 100-240 Volt 50Hz
Beam Angle 120° IP54
D: 8 H: 11 cm



752461

Sandy Black Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



752463

Dark Grey Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm



752462

Sandy White Aluminium
Glass Diffuser
Gx53 7 Watt 423.8Lm
3000K 220-240 Volt 50Hz
Beam Angle 77° IP54
D: 10 H: 6.5 cm





IP65



9220021

Sandy White Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



9200612

Sandy White Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



9220022

Sandy Black Aluminium
Glass Diffuser
Osram LED 3 Watt 230Lm
3000K 100-240 Volt 50Hz
Beam 52° IP65
D: 5.5 H: 11 cm



9200611

Sandy Black Aluminium
Glass Diffuser
Osram LED 6 Watt 520Lm
3000K 100-240 Volt 50Hz
Beam 76° IP65
D: 9 H: 11 cm



IP54



9020021

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



9040021

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 6 H: 10.5 cm



9020061

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



9040061

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
D: 9 H: 9 cm



9020022

Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm



9040022

White Die-Casting
Aluminium & Glass Diffuser
LED GU10 1x7 Watt IP54
220-240 Volt Bulb Excluded
L: 8.6 W: 8.6 H: 9 cm






IP65




9944603

Sandy Black Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



9944602

Sandy White Aluminium
Acrylic Diffuser
LED 20 Watt 1550Lm
3000K 100-240 Volt 50Hz
Beam Angle 92° IP65
D: 27 H: 7 cm



IP54



9521001

Dark Gray ABS & Acrylic Diffuser
LED 25 Watt 3728Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
D: 32 H: 6 cm




9521002

Dark Gray ABS & Acrylic Diffuser
LED 21 Watt 2391Lm
3000K 220-240 Volt 50Hz
Beam Angle 85° IP54
AC Driver Included
L: 28 W: 28 H: 6 cm








9232116

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



9232115

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 7.8 H: 7.5 cm



9232119

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



9232120

Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 8.5 H: 5.4 cm



Rotating




9232117

White Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



Rotating



9232118


Black Aluminium
LED 12 Watt 720Lm
3000K Beam 38° IP65
D: 9 H: 4.7 cm



IP65








IP54

9002863
Dimmable
White Aluminium & Acrylic
LED 2 Watt 230Lm
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm



9002864
Dimmable
Black Aluminium & Acrylic
LED 2 Watt 230Lm 3000K
3000K 220-240 Volt
Beam Angle 163° IP54
Switch On/Off / USB Wire
D: 11.8 H: 30 cm



9492441
Dimmable
Black Die-Casting Aluminium
& Frost Acrylic
LED 2 Watt 280Lm
3000K DC 5 Volt
Beam Angle 83° IP54
Switch On/Off / USB Wire
D: 19 H: 38 cm



USB
CHARGER





- Charging time: 4.5hrs
- Touch 1: 100% of light - 10hrs
 - Touch 2: 50% of light - 20 hrs

IP54


TWO DIFFERENT TYPES OF CHARGING



PG RECHARGING BASE




USB TYPE C



9223406

Dimmable
Sandy Black Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off
Rechargeable with PG base
or White USB Type C Wire
D: 11.4 H: 39.5 cm



9223407

Dimmable
Sandy White Aluminium
& Acrylic
LED 2 Watt 192Lm
2700K DC 5 Volt IP54
Switch On/Off
Rechargeable with PG base
or White USB Type C Wire
D: 11.4 H: 39.5 cm



9223408

Sandy Black Aluminium
PG Recharging Base Compatible
with codes 9223406 & 9223407




9223409

Black adaptor 5V 2A



9223410

White adaptor 5V 2A



- Charging time: 4.5hrs
- Touch 1: 100% of light - 10hrs
 - Touch 2: 50% of light - 20 hrs



9223403

Dimmable

Sandy Brown Aluminium
& Acrylic

LED 2 Watt 192Lm

2700K DC 5 Volt IP54

Switch On/Off / USB Type C Wire

Rechargeable with PG base

D: 11.4 H: 39.5 cm



9223405

Dimmable

Sandy Olive Green Aluminium
& Acrylic


LED 2 Watt 192Lm

2700K DC 5 Volt IP54

Switch On/Off / USB Type C Wire

Rechargeable with PG base

D: 11.4 H: 39.5 cm



9223404

Dimmable

Sandy Balsalt Grey Aluminium
& Acrylic


LED 2 Watt 192Lm

2700K DC 5 Volt IP54

Switch On/Off / USB Type C Wire

Rechargeable with PG base

D: 11.4 H: 39.5 cm



IP54






IP54 **PORTABLE**

Charging time: 7-8hrs
• Touch 1: 100% of light - 8-9hrs
• Touch 2: 5% of light - 280 hrs




9223412

Dimmable
Sandy Rust Brown Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm




9223414

Dimmable
Sandy Olive Green Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



9223413

Dimmable
Sandy Dark Grey Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



9223409

Black adaptor 5V 2A




9223410

White adaptor 5V 2A




9223415

Dimmable
Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm



9223411

Dimmable
Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 8 H: 30 cm





IP54 PORTABLE

Charging time: 7-8hrs
• Touch 1: 100% of light - 8-9hrs
• Touch 2: 5% of light - 280 hrs



9223999

Dimmable

Sandy Rust Brown Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



9223998

Dimmable

Sandy Olive Green Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



9223997

Dimmable

Sandy Dark Grey Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



9121911

Dimmable


Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



9121912

Dimmable

Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



9223409

Black adaptor 5V 2A



9223410

White adaptor 5V 2A





Charging time: 4-5hrs
• Touch 1: 100% of light - 7-8hrs
• Touch 2: 5% of light - 280 hrs

IP54



9281380

White Aluminium
& Acrylic
LED 2 Watt 207Lm
3000K DC 5 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm



9223400

Dimmable
Sandy Black Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm



9281381

Black Aluminium
& Acrylic
LED 2 Watt 207Lm
3000K DC 5 Volt IP54
Switch On/Off / USB Wire
D: 11.5 W: 11.8 H: 32 cm



9223401

Dimmable
Sandy White Die-Casting
Aluminium & Acrylic
LED 2 Watt 207Lm 3000K IP54
Beam Angle 62° DC 5 Volt
Switch On/Off USB Wire
D: 11 W: 11 H: 38 cm




Charging time: 7-8hrs
• Touch 1: 100% of light - 8-9hrs
• Touch 2: 5% of light - 280 hrs





9002862

Dimmable
Black Aluminium
& Clear Glass
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
L: 16 W: 16 H: 47.5 cm



Charging time: 7-10hrs
• Touch 1: 100% of light - 4hrs
• Touch 2: 40% of light - 10 hrs
• Touch 3: 10% of light - 50 hrs



9002861

Dimmable
White Aluminium
& Clear Glass
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 360° IP54
Solar / USB Wire / Switch On/Off
L: 16 W: 16 H: 47.5 cm



9002876

Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 200Lm
3000K 3.7 Volt
Beam Angle 306° IP54
Switch On/Off / USB Wire
D: 16 W: 16 H: 22.8 cm



9002877

Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 210Lm
3000K 3.7 Volt
Beam Angle 339° IP54
Switch On/Off / USB Wire
D: 16 W: 16 H: 22 cm

IP54

PORTABLE



SOLAR




IP65



PORTABLE



9923500
Dimmable
Anthracite Die-Casting
Aluminium
LED 2 Watt 271.41Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 50 cm




9922350
Dimmable
Anthracite Die-Casting
Aluminium
LED 2 Watt 207Lm
3000K DC 5 Volt
Beam Angle 108° IP65
Touch Lamp / Battery / USB Wire
L: 14.5 W: 14.5 H: 35 cm



9002865
Dimmable
Black Aluminium
& Acrylic
LED 2 Watt 180 Lm
3.7 Volt 3000K IP54
D: 10.2 W: 10.2 H: 15 cm



Charging time: 3hrs
• Touch 1: 100% of light - 4hrs
• Touch 2: 40% of light - 10 hrs
• Touch 3: 10% of light - 50 hrs



USB
CHARGER




IP54



IP54

9492700
Anthracite Die-Casting Aluminium
& Clear Glass
LED 2 Watt 191Lm
3000K DC 5 Volt
Beam Angle 96° IP54
D: 15 W: 15 H: 35 cm





STEP LIGHTS

**9018062**


Dark Gray Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 245.3Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm

**9018061**


White Die-Casting
Aluminium & Glass Diffuser
LED 3.5 Watt 245.3Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 13 W: 3 H: 5.5 cm


**9492690**

Anthracite Die-Casting Aluminium
& Clear Acrylic
LED 1.5 Watt 34Lm
3000K 220-240V
Beam Angle 50° IP54
L: 10 W: 2.9 H: 6.7 cm

**9492670**


Anthracite Die-Casting Aluminium
& Clear Glass
LED 6 Watt 122.31Lm
3000K 220-240V
Beam Angle 266° IP65
L: 22.7 W: 3.5 H: 12.7 cm

**IP54**




9117080

Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm




9117086

Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm



9117084

Grey Concrete IP65
L: 10 W: 1.7 H: 10 cm




9117082

Grey Aluminium
LED 3.5 Watt 111.65Lm
3000K 220-240V IP65
HEP DRIVER
Compatible with: 9117080,
9117084, 9117086
L: 6.5 W: 6.7 H: 3.9 cm



IP65



IP54




710446

Dark Gray Aluminium & Glass
LED 6 Watt 480Lm
3000K 220-240 Volt 50Hz
Beam Angle 31° IP54
D: 16 W: 9.6 cm




726408

Dark Gray Aluminium
LED 3 Watt 270Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8.5 W: 5 H: 8.5 cm



752250

Dark Gray Aluminium
LED 6 Watt 751Lm
3000K 220-240 Volt 50Hz
Beam Angle 32° IP54
L: 15 W: 7.5 H: 15 cm




IP65




8403624

Dark Gray ABS
LED 1.2 Watt
145Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 12.5 cm




8403622

Dark Gray ABS
LED 1.6 Watt
212Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 23 W: 3.3 H: 8 cm




8403626

Dark Gray ABS
LED 1.2 Watt
150Lm 3000K IP65
100-220 Volt 50Hz
RC Driver Included
L: 12.5 W: 3.3 H: 8.3 cm






IP54




9020927
 Dark Grey Acrylic Cover
 & Diffuser
 LED 1.2 Watt 158.99Lm
 3000K 220-240V IP65
 D: 11 W: 3.1 H: 11 cm



IP65



9492680
 Anthracite Die-Casting Aluminium
 & Clear Acrylic
 LED 1.5 Watt 39Lm
 3000K 220-240V
 Beam Angle 50° IP54
 D: 12 W: 2.9 H: 12 cm



9026120
 White Aluminium
 & Clear Glass
 LED 3 Watt 16Lm 3000K
 600mA 100-240V
 Beam Angle 148° IP54
 Cut Out: L: 12.6 W: 4.2 H: 6 cm
 L: 13.5 W: 5 H: 6.5 cm
 Junction Box Included





9944141

Sandy Black Aluminium
LED 3 Watt 16.3Lm
3000K 100-240 Volt 50Hz
Beam Angle 21° IP65
D: 6.5 W: 4 H: 6 cm
Cut Out: 5.5 cm




IP65



9083011

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 14 W: 3.8 H: 7.7 cm
Junction Box Not Included
Cut Out: L: 13.2 W: 5 H: 7.4 cm




IP54



9083021

Matt White Die-Casting Aluminium
& Glass Diffuser
LED 1.5 Watt 118.5Lm
3000K 200-240 Volt
Beam Angle 120° IP54
L: 7.7 W: 3.8 H: 14 cm
Junction Box Not Included
Cut Out: L: 7.4 W: 5 H: 13.2 cm





IP54



812302

Dark Gray ABS
LED 4 Watt 526.7Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 14 W: 3 H: 14 cm



811201

Dark Gray ABS
LED 2 Watt 268.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 29° IP54
AC Driver Included
L: 12 W: 3 H: 12 cm



812102

Dark Gray ABS
LED 4 Watt 461.9Lm
3000K 220-220 Volt 50Hz
Beam Angle 38° IP54
AC Driver Included
L: 23 W: 3 H: 10 cm



811502

Dark Gray ABS
LED 2 Watt 365.14Lm
3000K 220-220 Volt 50Hz
Beam Angle 32° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




811501

Dark Gray ABS
Acrylic Diffuser
LED 4 Watt 557Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 62° IP54
AC Driver Included
L: 23 W: 3 H: 8 cm




812104

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 480Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 48° IP54
AC Driver Included
L: 23 W: 10 H: 6.7 cm



812103

Dark Gray ABS
Acrylic White Diffuser
LED 6 Watt 683Lm
3000K or 4000K
220-220 Volt 50Hz
Beam Angle 67° IP54
AC Driver Included
L: 23 W: 10 H: 6.5 cm



IP54

IP54



726407

Dark Gray Aluminium
LED 3 Watt 95.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 27° IP54
D: 8 W: 5.5 cm
Cut Out: D: 7.7 x W: 5.3 cm



727002

Dark Gray Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm




727001

White Aluminium
LED 3 Watt 132Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 8 W: 7 H: 8 cm
Cut Out: L: 6.4 x W: 6.7 cm





726402

White Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm



726401

Dark Gray Aluminium
LED 3 Watt 352.9Lm
3000K 220-240 Volt 50Hz
Beam Angle 15° IP54
L: 11 W: 6 H: 7 cm
Cut Out: 10.2 x 6.5 cm






IP54




726405



White Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



726406




Dark Gray Aluminium
LED 3 Watt 202Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 13.5 W: 8 H: 5.5 cm
Cut Out: 12.7 x 4.5 cm



IP54




726403



White Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm



726404



Dark Gray Aluminium
LED 2 Watt 95Lm
3000K 220-240 Volt 50Hz
Beam Angle 17° IP54
L: 8.5 W: 8 H: 5.5 cm
Cut Out: 8.1 x 4.2 cm





IP54



9136185



Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



9136186



White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



9136187



Black Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm



9136188



White Aluminium
LED 3 Watt 170Lm
220-240 Volt 50Hz
3000K IP54
D: 7 H: 6.5 cm
Cut Out: 5.5 cm





8090801

White Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



9045418

Black Aluminium
LED 1 Watt 18.09Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



9045514

White Aluminium
LED 1 Watt 32.76Lm 3000K
3 Volt 50Hz IP54
L: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



8058001

White Aluminium
LED 1 Watt 41.36Lm 3000K
3 Volt 50Hz IP54
L: 3.9 W: 2.2 H: 3.9 cm
Cut Out: 3.4 cm
Cable Lenght 1.80m
Connect it with driver 9020170



9031616

White Aluminium
LED 1 Watt 69.7Lm 3000K
3 Volt 50Hz IP54
D: 3.7 W: 2.2 H: 3.7 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



9002601

White Aluminium
LED Chip Cree 2 Watt 40.45Lm
100-240 Volt 50Hz 3000K
Beam 49° IP54
D: 5 W: 5 H: 5 cm
Cut Out: 4.5 cm
Driver Included



IP54



IP67 WATERPROOF



9019212

Satin Nickel Aluminium
LED 1 Watt 104.8Lm 3000K
3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



9019213

Satin Nickel Aluminium
LED 1 Watt 98.24Lm 3000K
3 Volt 50Hz IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm
Cable Lenght 1.80m
Connect it with driver 9020170



9203113

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 7 cm
Cut Out: 3.7 cm



9203111

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 42° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



9203112

Satin Nickel Aluminium
LED 1 Watt 60Lm 3000K IP67
100-240 Volt 50Hz
Beam 51° Driver Included
D: 4.2 H: 9 cm
Cut Out: 3.7 cm



8038801

White Aluminium
LED 1 Watt 19Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



8038401

White Aluminium
LED 1 Watt 104.8Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



8039001

White Aluminium
LED 1 Watt 11.4Lm
3 Volt 50Hz
3000K IP67
D: 3.7 H: 5.3 cm
Cut Out: 3.2 cm



9020170

Driver 4W ACTEC MINI IP65
Input: 100-240V AC 50/60Hz
Output: 3-12 VDC
350mA Not Dimmable



CABLE LENGTH 1.80m

DON'T FORGET TO CONNECT THEM WITH DRIVER | code: 9020170



WALL WASHER




Rotation 30°



9011161

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 32 Watt 3387.5Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt



9011163


Brackets for 9011162
2pcs Included

Rotation 30°



9011162

Wall Washer
Sandy Black Aluminium & Glass
LED Chip Cree 44 Watt 4222.3Lm
3000K DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 6.5 H: 12 cm
Max Power 300 Watt




Rotation 30°



9011164

Wall Washer RGB
Sandy Black Aluminium & Glass
LED Chip Epistar 36 Watt 3420Lm
DC24V Adjustable
Beam Angle 30° IP67
L: 100 W: 5.5 H: 12 cm
Max Power 300 Watt



RGB



9011101


DMX CONTROLLER
Used to Control Max 1000 pcs




IP67 WATERPROOF




INSTALLATION



CONNECTION: 9011161 - 9011162



CONNECTION: 9011164







9011102


Wall Washer
Satin Nickel Aluminium & Glass
LED Chip Philips 15 Watt
746Lm 3000K DC24V
Beam Angle 30° IP67
L: 100 W: 2.5 H: 3.5 cm



INSTALLATION



IP67 WATERPROOF / ULTRA THIN



IP65 WATERPROOF / ULTRA NARROW / 7°



9010009

Sandy Black Aluminium & Glass
LED Chip Cree 2x10 Watt 1857Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 17 cm



9010008

Sandy Black Aluminium & Glass
LED Chip Cree 10 Watt 565Lm
220-240 Volt 50Hz 3000K
Beam Angle 7° IP65
D: 5.5 W: 7 H: 10 cm



INSTALLATION

